# Data sheet

SIPLUS NET CSM 1277 with conformal coating based on 6GK7277-1AA10-0AA0 . Compact Switch Module CSM 1277 Connection SIMATIC S7-1200 and up to 3 further nodes to Industrial Ethernet with 10/100 Mbit/s



Figure similar

product type designation	SIPLUS NET CSM 1277
transfer rate	
transfer rate	10 Mbit/s, 100 Mbit/s
ambient conditions	
ambient temperature / in horizontal mounting position / during operation	60 0 °C
ambient temperature / during storage and transport	7040 °C
installation altitude / at height above sea level / maximum	5000 m
relative humidity	
<ul> <li>with condensation / acc. to IEC 60068-2-38 / maximum</li> </ul>	100 %
chemical resistance / to commercially available cooling lubricants	Yes
resistance to biologically active substances	
• conformity acc. to EN 60721-3-3	Yes
• conformity acc. to EN 60721-3-6	Yes

resistance to chemically active substances	
• conformity acc. to EN 60721-3-3	Yes
<ul><li>conformity acc. to EN 60721-3-6</li></ul>	Yes
resistance to mechanically active substances	
• conformity acc. to EN 60721-3-3	Yes
• conformity acc. to EN 60721-3-6	Yes
coating / for equipped printed circuit board / acc. to EN 61086	Yes
type of coating	
<ul> <li>protection against pollution according to EN 60664-3</li> </ul>	Yes
type of test / of the coating / acc. to MIL-I-46058C	Yes
product conformity / of the coating / Qualification and Performance of Electrical Insulating Compound for Printed Board Assemblies acc. to IPC-CC-830A	Yes
protection class IP	IP20
design, dimensions and weights	
width	75 mm
height	100 mm
depth	45 mm
net weight	0.2 kg
product functions / management, configuration, end	pineering
product functions / management, configuration, eng product function / switch-managed	gineering No
product function / switch-managed	
product function / switch-managed standards, specifications, approvals	
product function / switch-managed standards, specifications, approvals standard	No
product function / switch-managed standards, specifications, approvals	No FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2,
product function / switch-managed standards, specifications, approvals standard	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4,
product function / switch-managed  standards, specifications, approvals  standard  • for FM  • for hazardous zone	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X
product function / switch-managed  standards, specifications, approvals standard • for FM  • for hazardous zone  • for emitted interference	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)
product function / switch-managed  standards, specifications, approvals  standard  • for FM  • for hazardous zone  • for emitted interference  • for interference immunity	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2
product function / switch-managed  standards, specifications, approvals standard • for FM  • for hazardous zone  • for emitted interference • for interference immunity  MTBF	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)
product function / switch-managed  standards, specifications, approvals  standard  • for FM  • for hazardous zone  • for emitted interference  • for interference immunity  MTBF  standards, specifications, approvals / CE	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2  273 y
product function / switch-managed  standards, specifications, approvals standard • for FM  • for hazardous zone  • for emitted interference • for interference immunity  MTBF	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2
product function / switch-managed  standards, specifications, approvals  standard  • for FM  • for hazardous zone  • for emitted interference  • for interference immunity  MTBF  standards, specifications, approvals / CE	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2  273 y
product function / switch-managed  standards, specifications, approvals standard • for FM  • for hazardous zone  • for emitted interference • for interference immunity  MTBF  standards, specifications, approvals / CE certificate of suitability / CE marking	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2  273 y
product function / switch-managed  standards, specifications, approvals standard • for FM  • for hazardous zone  • for emitted interference • for interference immunity  MTBF  standards, specifications, approvals / CE certificate of suitability / CE marking  standards, specifications, approvals / other	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2  273 y  Yes
product function / switch-managed  standards, specifications, approvals standard • for FM  • for hazardous zone  • for emitted interference • for interference immunity  MTBF  standards, specifications, approvals / CE certificate of suitability / CE marking  standards, specifications, approvals / other certificate of suitability • railway application in accordance with EN	No  FM3611: Class 1, Divison 2, Group A, B, C, D / T, CL.1, Zone 2, GP. IIC, T Ta  EN 600079-15:2005, EN 600079-0:2006, II 3 G Ex nA II T4, KEMA 08 ATEX 0003 X  EN 61000-6-4 (Class A)  EN 61000-6-2  273 y  Yes  EN 61000-6-2, EN 61000-6-4



## standards, specifications, approvals / marine classification

Marine classification association

 American Bureau of Shipping Europe Ltd. (ABS) No

Bureau Veritas (BV)

No

• Det Norske Veritas (DNV)

No

• Germanische Lloyd (GL)

No

• Lloyds Register of Shipping (LRS)

No

• Nippon Kaiji Kyokai (NK)

No

• Polski Rejestr Statkow (PRS)

No

## further information / internet-Links

### Internet-Link

• to website: Selector SIMATIC NET SELECTION TOOL

http://www.siemens.com/snst

• to website: Industrial communication

http://www.siemens.com/simatic-net

• to website: Industry Mall

https://mall.industry.siemens.com

• to website: Information and Download Center

http://www.siemens.com/industry/infocenter

• to website: Image database

http://automation.siemens.com/bilddb http://www.siemens.com/cax

• to website: CAx Download Manager

https://support.industry.siemens.com

• to website: Industry Online Support

#### security informatior

security information

Siemens provides products and solutions with industrial security functions that support the secure operation of plants, solutions, machines, equipment and/or networks. They are important components in a holistic industrial security concept. With this in mind, Siemens' products and solutions undergo continuous development. Siemens recommends strongly that you regularly check for product updates. For the secure operation of Siemens products and solutions, it is necessary to take suitable preventive action(e.g. cell protection concept) and integrate each component into a holistic, state-of-the-art industrial security concept. Third-party products that may be in use should also be considered. For more information about industrial security, visit http://www.siemens.com/industrialsecurity. To stay informed about product updates as they occur, sign up for a product-specific newsletter. For more information, visit

http://support.automation.siemens.com. (V3.4)

last modified:

08/30/2020

