## **SIEMENS**

Data sheet 3VA9988-0AA12



AUXILIARY SWITCH CHANGEOVER CONTACTS TYPE HQ (7MM) ACCESSORY FOR 3VA1 and 3VA20 up to 3VA25

Model		
product brand name	SENTRON	
product designation	auxiliary switch	
Product version	Accessories for 3VA circuit breakers	
Accessories	Auxiliary switch	
General technical data		
Degree of pollution	3	
Overvoltage category	III	
Voltage		
Tension assignée d'isolement Ui	690 V	
Tension assignée de tenue aux chocs	4 kV	
Rated operational voltage Ue at AC 50 Hz	240 V	
Rated operational voltage Ue with DC	250 V	
Current		
Thermal current limit Ith	6 A	
operational current		
• at AC-12 / at 12 V	6 A	
• at AC-12 / at 24 V	6 A	
• at AC-12 / at 48 V	6 A	
• at AC-12 / at 125 V	6 A	
• at AC-12 / at 220/240 V	6 A	
• at DC-12 / at 12 V	6 A	
• at DC-12 / at 24 V	4 A	
• at DC-12 / at 48 V	2 A	
• at DC-12 / at 110 V	0.5 A	
• at DC-12 / at 250 V	0.25 A	
• at DC-13 / at 12 V	1 A	
• at DC-13 / at 24 V	0.8 A	
• at DC-13 / at 48 V	0.4 A	
• at DC-13 / at 110 V	0.2 A	
• at DC-13 / at 250 V	0.1 A	
• at AC-15 / at 12 V	3 A	
• at AC-15 / at 24 V	3 A	
• at AC-15 / at 48 V	3 A	
• at AC-15 / at 125 V	3 A	
	3 A	

Height	56 mm	
Width	7 mm	
width / note	1 slot (7 mm)	
depth	30 mm	
net weight	30 g	
tightening torque / with screw-type terminals / minimum	0.4 N·m	
tightening torque / with screw-type terminals / maximum	0.5 N·m	
Connections according IEC		
stripped length	15 mm	
AWG number / as coded connectable conductor cross section / for auxiliary contacts		
• minimum	20	
• maximum	16	
Connetctions according UL		
stripped length [in]	0.6 in	
tightening torque [lbf-in] / with screw-type terminals / minimum	3.5 lbf·in	
tightening torque [lbf·in] / with screw-type terminals / maximum	4.4 lbf·in	
Certificates		
General Product Approval		

## General Product Approval







**Miscellaneous** 

<u>KC</u>



**EMC Declaration of Conformity Test Certificates** 











**Type Test Certificates/Test** Report

Shipping **Test Certificates** other Approval

Type Test Certificates/Test Report

Type Test Certificates/Test Report



**Manufacturer Declaration** 

Miscellaneous

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9988-0AA12

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

https://support.industry.siemens.com/cs/ww/en/ps/3VA9988-0AA12


Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3VA9988-0AA12


**Tender specifications** 

http://www.siemens.com/specifications









last modified:

11/18/2020 🖸