



SHUNT TRIP LEFT 208-277 V AC 50/60 HZ 220-250 V DC ACCESSORY FOR 3VA1 and 3VA20 up to 3VA25

Model	
product brand name	SETRON
product designation	Accessories
Product version	Auxiliary release
Accessories	Auxiliary release
General technical data	
Degree of pollution	3
Overvoltage category	III
apparent power consumption / maximum	40 V·A
consumed active power / at DC / maximum	35 W
Voltage	
Tension assignée d'isolement $U_i$	690 V
surge voltage resistance	4 kV
control supply voltage ( $U_s$ ) / at AC	208 - 277 V 50/60 Hz
control supply voltage ( $U_s$ ) / at DC	220 - 250 V
Current	
Mechanical Design	
Height	65.1 mm
Width	25.7 mm
number of slots	3
depth	31.2 mm
net weight	91 g
tightening torque / with screw-type terminals / minimum	0.4 N·m
tightening torque / with screw-type terminals / maximum	0.5 N·m
Connections according IEC	
stripped length	10 mm
AWG number / as coded connectable conductor cross section / for auxiliary contacts	
• minimum	20
• maximum	16
Connections according UL	
stripped length [in]	0.4 in
tightening torque [lbf·in] / with screw-type terminals / minimum	3.5 lbf·in
tightening torque [lbf·in] / with screw-type terminals / maximum	4.4 lbf·in
Certificates	

**General Product Approval**[Miscellaneous](#)**EMC****Declaration of Conformity**

EG-Konf.



EG-Konf.

**Declaration of Conformity**

EG-Konf.





EG-Konf.

**Test Certificates**[Type Test  
Certificates/Test  
Report](#)[Type Test  
Certificates/Test  
Report](#)[Type Test  
Certificates/Test  
Report](#)**Shipping Approval**

LRS

**other**[Manufacturer  
Declaration](#)[Miscellaneous](#)**Further information****Information- and Downloadcenter (Catalogs, Brochures,...)**<http://www.siemens.com/lowvoltage/catalogs>**Industry Mall (Online ordering system)**<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9988-0BL33>**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**<https://support.industry.siemens.com/cs/ww/en/ps/3VA9988-0BL33>**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9988-0BL33](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9988-0BL33)**Tender specifications**<http://www.siemens.com/specifications>



last modified:

12/1/2020 